


DOCUMENT

Reviewed by *[Signature]*



DATE Feb 6, 1978

PARAMETER

Gross α (SIDEWALL)

DEPTH (cm)

\emptyset (5 cm cut)

NOTES:

6 = Gross α , pCi/g

1" = 25 meters

- NO SAMPLE AT THIS DEPTH

• SAMPLE LOCATION

KICKAPOO GZ (APPROX)

REMARKS

Gross

AOMON - VICINITY OF KICKAPOO GZ

DATE Feb 6, 1978

PARAMETER

Gross α (SIDEWALL)

DEPTH (cm)

2 ϕ (5 cm cut)

NOTES:

ϕ = Gross α , pCi/g


1" = 25 meters

- NO SAMPLE AT THIS DEPTH

• SAMPLE LOCATION

KICKAPOO GZ (APPROX)

REMARKS Gross α counts before ball-milling



AOMON - VICINITY OF KICKAPOO GZ

DATE Feb 6, 1978

PARAMETER

Gross α (SIDEWALL)

DEPTH (cm)

4 ϕ (5 cm cut)

NOTES:


6 = Gross α , pCi/g

1" = 25 meters

- NO SAMPLE AT THIS DEPTH

• SAMPLE LOCATION

□ KICKAPOO GZ (APPROX)



REMARKS Gross α counts before ball-milling

AOMON - VICINITY OF KICKAPOO GZ

DATE: Feb 6, 1978

PARAMETER

Gross α (SIDEWALL)

DEPTH (cm)

6 ϕ (5 cm cut)

NOTES:


ϕ = Gross α , pCi/g

1" = 25 meters

- NO SAMPLE AT THIS DEPTH

• SAMPLE LOCATION

\square KICKAPOO GZ (APPROX)



REMARKS: Gross α counts before ball-milling

AOMON - VICINITY OF KICKAPOO GZ


DATE Feb 6, 1978

PARAMETER
Gross α (SIDEWALL)

DEPTH (cm)
8 ϕ (5 cm cut)

NOTES:
6 = Gross α , pCi/g

1" = 25 meters
- NO SAMPLE AT THIS DEPTH
• SAMPLE LOCATION
 KICKAPOO GZ (APPROX)



23 24 25 26 27

REMARKS Gross α counts before ball milling

DATE Feb 6, 1978

PARAMETER
Gross of (SIDEWALL)

DEPTH (CM)
0 (5 cm)

NOTES:

2 pCi/g Gross of

1" = 2.5 M

• SAMPLE LOCAT

□ = YUMA GZ (AAPA)

- NO SAMPLE AT
THIS DEPTH

REMARKS GRO

ADMIN - VICINITY OF YULIA GZ

DATE Feb 6, 1978

PARAMETER
Gross α (SIDEWALL)

DEPTH (cm)
40 (5 cm (125))

NOTES:
2. Gross α , pCi/g

1" = 25 m

• SAMPLE LOCATION

□ = YULIA GZ (APPROX)

- NO SAMPLE AT THIS DEPTH

56	<10	<10	2	<10	<10	<10	17
57	<10	<10	-	<10	<10	-	-
58	22	<10	4	<10	<10	<10	<10
59	□	13	<10	<10	<10	75	<10
510	8	9	10	11	12	13	14

REMARKS: Gross α counts before ball milling

AOMCN - VICINITY OF YUMA

DATE Feb 6, 1978

PARAMETER
GROSS α (SIDEWALL)

DEPTH (cm)
60 (5 cm CUTS)


NOTES:
2 Gross α p/c/g

1" = 25 m

• SAMPLE LOCATION

□ = YUMAGEZ (APPROX.)

- NO SAMPLE AT THIS DEPTH



REMARKS | Gross α before ball-milling

ADMON-VISINITY OF YUMA AZ

DATE FEB 6, 1978

PARAMETER

GROSS α (SIDEWALL)

DEPTH (cm)

80 (5 cm (415))

NOTES:

2 pc/1g Gross α

1" = 2.5 M

• SAMPLE LOCATION

□ = YUMA GZ (APPROX)

- NO SAMPLE AT THIS DEPTH

REMARKS

GROSS α COUNTS BEFORE BALL-MILLING

56-	<10	-	-	-	-	-	-	-	-	-	-	-	-
57-	<10	-	-	-	-	-	-	-	-	-	-	-	-
58-	410	-	-	-	-	-	-	-	-	-	-	-	-
59-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-	-	-	-	-	-	-	-	-	-	-	-	-	-

6 7 10 11 12 13 14

AOMON-VICINITY OF YUMA A G Z

DATE Feb 6, 1978

PARAMETER
Gross α (SIDEWALL)

DEPTH (cm)
100 (5 cm (415))

NOTES:
2. pCi/g Gross α

1" = 25 m
• SAMPLE LOCATION

□ = YUMA GZ (APPROX)

- NO SAMPLE AT THIS DEPTH

REMARKS

Gross α counts before ball-milling

56-	410	-	-	-	-	-	-	-	-	-	-	-	-	-
57-	410	-	-	-	-	-	-	-	-	-	-	-	-	-
58-	410	-	-	-	410	-	-	-	-	410	410	410	410	410
59-	410	□	-	-	410	410	410	410	410	410	410	410	410	410
50-														

8 9 10 11 12 13 14