

Radiochemical Analyses, Bikini, Rongelap(^{90}Sr , ^{235}Pu , ^{239}Pu , ^3H in pCi/liter; ^{137}Cs in nCi/liter)

| <u>URINE (ave. values)</u> | | | | | | |
|----------------------------|---------------|--------------------|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <u>Year</u> | <u>Island</u> | <u>No. Samples</u> | <u>^{90}Sr</u> | <u>^{137}Cs</u> | <u>^{238}Pu</u> | <u>^{239}Pu</u> |
| 1969 | Kili | 14 | 0.48 | 0.34 | | |
| | Rongelap | 23 | 4.50 | 3.20 | | |
| 1970 | Bikini | Pooled | 1.20 | 0.10 | 0.003 | 0.003 |
| | | Pooled | 1.30 | 0.13 | 0.002 | 0.002 |
| | | 1* | 2.20 | | 0.020 | 0.013 |
| | | 1* | 1.90 | | 0.024 | 0.015 |
| | Rongelap | 20 | 3.50 | 2.70 | | |
| 1971 | Bikini | 2 (families)* | 3.90 | 0.11 | | |
| | Rongelap | 15 | 3.80 | 2.40 | | |

WELL WATER

| | | <u>^{90}Sr</u> | <u>^{137}Cs</u> | <u>^3H</u> | <u>$^{239,240}\text{Pu}$</u> |
|------|----------------|------------------------------------|-------------------------------------|--------------------------------|---|
| 1971 | Bikini | "good well" | $6.0 \pm 17\%$ | $600 \pm 1\%$ | $770 \pm 40\%$ |
| | | "bad well" | $25 \pm 3\%$ | $850 \pm 1\%$ | $1040 \pm 30\%$ |
| | HASL tap water | 0.6 | 0.06 | ~ 500 | $0.01 \pm 100\%$ |

*had resided at Bikini 6-9 months.