

Sr⁹⁰ in soil samples collected at Rongelap Island, Rongelap Atoll,
March 1958.

404895

Sample No.	Depth Increment	d/m/g(1) (2) Dry Total B (5)	d/m/g(1) (2) Dry Sr ⁹⁰	Strontium Units	mg/g(3) (4) Dry Calcium
1 a	0" - 1"	1760±72	295±13	500	270±3
1 b	1" - 2"	32± 6	11± 2	15	340±0
1 c	2" - 3"	32±17	not detected	0	353±6
1 d	3" - 4"	not detected	not detected	0	350±3
1 e	4" - 5"	not detected	not detected	0	368±1
1 f	5" - 6"	not detected	not detected	0	360±0
1 g	6" - 7"	not detected	not detected	0	323±3
1 h	7" - 8"	not detected	not detected	0	323±0
1 i	8" - 9"	not detected	not detected	0	365±2

3 grams dried soil were used for each sample

(1) Errors given for d/m values are calculated from counting error.

(2) Limit of detectability estimated to be approximately 6 d/m/g/

(3) Errors given for calcium values are half the difference between duplicate results.

(4) Calcium values are for total calcium in soil.

(5) Correction factors based on K⁴⁰

BEST COPY AVAILABLE

LABORATORY OF RADIATION BIOLOGY
UNIVERSITY OF WASHINGTON
SEATTLE 5 WASHINGTON
DOE ARCHIVES 23