

DOSIMETER CALIBRATION FACILITY. WE WILL DEVELOP A PLAN FOR RETRIEVAL AND PROBABLY ORDER OUT A NEW PIG FOR SHIPMENT TO LAS VEGAS. BLACK & WHITE COVERAGE OF ALL ISLANDS COMPLETED. TWO OF SIX PHOTO BOOKS HAVE BEEN MADE AND WILL BE EXCEPTIONALLY VALUABLE IN LATER SURVEY PHASES. VERTICAL PHOTO MAPS HAVE BEEN USED FOR

PAGE 2 RUWJSLC0464 UNCLAS

NAVIGATION IN THE RADIATION SURVEY WITH EXCELLENT RESULTS. ALL ACTIVITIES STILL SUFFERING FROM WATER AND POWER SHORTAGE. NO FRESH WATER AT ALL IN LIVING QUARTERS. CARRIED WATER ONLY IN PHOTO LAB. DUE TO LACK OF AIR CONDITIONING, REPEATED COMPUTER

FAILURES INTERRUPTED DATA PROCESSING MOST OF NOV 11 AND MORNING NOV 12. COMPUTER AND DATA PROCESSING ACTIVITY NOW MOVED TO MARIN DEPT. OFFICE WHERE RELIABLE POWER SUPPLIED BY COAST GUARD STA. FUEL REPLENISHMENT DID NOT ARRIVE AS EXPECTED ON NOV 10. RESULTING IN MY 110530Z NOV 72 TO CINCPAC. NO FLIGHT OPS POSSIBLE NOV 11 AND 12. HOWEVER WE NOW APPEAR TO HAVE FOUND THE RIGHT BUTTONS TO PUSH AND EMERGENCY RESUPPLY FOR ONE DAY OPS ARRIVED 130330Z TO BE FOLLOWED BY FULL RESUPPLY 132100Z.

D PH II	TO PHIL WARNER, EG&G. REPT NO. 3	Action Info File
464	SUBJECT FILE	DIRECTOR MO INTS
NN≠_		PROLENGR
	REPOSITORY DOE PASO	SECLETARY Marchaet CHA
	COLLECTION	SENE COPY TO:
	BOX NO	14.5.1
•	BOX NO. ENEWETAK RADIOLOGICK. FOLDER SURVEY 6 72-4 76	Othe S

BEST COPY AVAILABLE

NOV 13 1972