

LAW OFFICES OF
MICRONESIAN LEGAL SERVICES CORPORATION
 ATTORNEYS AND MICRONESIAN COUNSELORS
 CABLE ADDRESS: MICROLEX

THEODORE R. MITCHELL
 EXECUTIVE DIRECTOR
 EDWARD C. KING
 DEPUTY DIRECTOR
 ROMAN T. TUDELA
 COMPTROLLER
 LORENZO L. G. CABRERA
 PROGRAM ADMINISTRATOR
 GIDEON K. DOONE
 ANDREW FIGIRMA

IOANES KANICHY
 FREDERICK S. LEBER
 ALAN S. LIEBERMAN
 DANIEL MACMEEKIN
 SIONAG MACMEEKIN
 DENNIS F. OLSEN
 KAZUMOTO RENGULBAI
 NAHOY G. SELIFIS
 TONY VILLANUEVA
 SAMUEL WITHERS, III
 DANIEL E. AQUINO
 JOHN O. NGIRAKED
 ALBERT R. SNYDER
 HAMLET J. BARRY, III
 JAMES E. DUGGAN
 MICHAEL UNGER
 OLIVER G. RICKETSON
 ALAN B. BURDICK

Sept. 26, 1972

CENTRAL OFFICE
 POST OFFICE BOX 826
 SAIPAN, MARIANA ISLANDS 96980
 TELEPHONE 6228

PALAU OFFICE
 POST OFFICE BOX 87
 KOROR, PALAU
 WESTERN CAROLINE ISLANDS 96940

MARSHALLS OFFICE
 POST OFFICE BOX 376
 MAJURO
 MARSHALL ISLANDS 96960

TRUK OFFICE
 POST OFFICE BOX D
 MOEN, TRUK
 EASTERN CAROLINE ISLANDS 96942

REPLY VIA AIR MAIL TO

PONAPE OFFICE
 POST OFFICE BOX 129
 KOLONIA, PONAPE
 EASTERN CAROLINE ISLANDS 96941

MARIANAS OFFICE
 POST OFFICE BOX 826
 SAIPAN, MARIANA ISLANDS 96980
 TELEPHONE 6243

YAP OFFICE
 POST OFFICE BOX 208
 COLONIA, YAP
 WESTERN CAROLINE ISLANDS 96943

Atomic Energy Commission
 531 Ohohia
 Honolulu, Hawaii

Gentlemen:

This is formal notice to you that the PACE project has been ordered stopped by the Federal Court.


You will see, however, that the order permits a radiological survey by the Atomic Energy Commission to continue.

We agreed to this proviso on the assumption that the survey would have no environmental impact. Will you please respond immediately to tell me if this assumption is correct? I would appreciate a sufficiently detailed response describing the survey so that I can make an independent judgment about its potential impact.

Please address your response to me

c/o Boyce R. Brown
 Mattoch, Edmunds, Kemper & Brown
 Suite 1401
 841 Bishop Street
 Honolulu, Hawaii 96813

Sincerely,



Theodore R. Mitchell
 Director

TRM/es

Enclosures