copies, Series 2

July 16, 1953

All Concerned

72982

Paul C. Fine Division of Filitary Application

TRIP REPORT - MIC TOUR - JULY 5-11, 1953

SYLBOL: L'A:PCF



General Fields, Colonel Dorsey, and I accompanied the military members and staff of the Military Maison Committee on a visit to Los Alamos (July 5-7), Sandia (July 7-8), and Mivermore (July 9). Gen. Fields and I spent the morning of July 10 at Berkeley. Colonel Dorsey will cover the Sandia aspects in his trip report.


## Ostrich Program

At Los Alamos, Dr. Holloway gave the following data on the Ostrich program:

	Length (inches)	Diameter (inches)	Weight (pounds)	Figure 1	Yield Range (megatons)
-14	223.5	61 <b>.</b> L	30,000		
<b>-1</b> 5 ·	296.7	61.4	42,000	\	
-17 757	296.7	61.4	42,000	r	LETED
	171.5	52 <b>.</b> 9 🥳	ु}23,000 े	- نسأ	- Lala 8 ==-

\* Length and weight of are for warhead alone, without tail structure which will add some length and about 2000 pounds in weight.

There will be one assembly team at Castle and two others starting in June or July of 1954.



US DOE ARCHIVES

326 US ATOMIC ENERGY

COMMISSION

Collection SECRETARIAT

Box\_ 4930

FolderMRA 9-1 WESPONS Dev.

CLASSIFICATION CANCELLED WITH DELETIONS
BY AUTHORITY OF DOE/OC

CALLUL DATA

EVENUE BY


LATE

LA

CLASSIFICATION C. CELLEDI
CONCENSATION C. CELLEDI
CONC


Maria Tolling













elli.





July 16, 1953

1/3


Principal Control

Geometry masses

well exer




acter a




- 8 -

July 16, 1953

DELETED







there ever were of Tons and further tests are planned.

(The work on by the Rala firing group has meant that there has not been much recent work on Rala shots. However, Dr. MacDougall said that Los Alamos is still interested in ReLa and that they have a number of Rala ghots in mind that will take at least two years to carry out.)


## Test Operations


Dr. Graves said that four of the UPSHOT tests gave radioactive fallout, and these were tower shots. Cumulative infinite doses in populated areas were calculated, in some of the highest cases, to be 6 roentgens at Rockville (pop. 300), 7.7 roentgens at Hurricane (pop. 1500), 12 to 15 roentgens at Riverside Cabins (pop. lh), and 7 roentgens at Crystal (pop. 7). Some cows died from what may have been a combination of starvation and radiation. Some sheep died that were near starvation and appeared to have burns of some kind around the mouth and nose. Some horses were blinded, apparently either because they were looking at the fire ball or because of beta radiation from radioactive material caught in their eyes.

There has been no fallout problem for any airburst shot to date. However, for some experiments it is essential to do tower shots. In future tests in Nevada, it is planned to try 500-foot towers instead of the 300-foot towers used at UPSHOT. In a series where there are fewer tests than in UPSHOT, it would be possible to wait for more nearly ideal wind conditions each time. However, the wind sometimes shifts at the last minute and, in one case, shifted adversely after the shot had been fired. It may be desirable to limit tower shots to 35 kilotons, while airbursts of up to 100 kilotons may be handled satisfactorily.

At Fniwetok, there is also a fallout problem, not only in regard to the atoll itself but also in regard to the 30,000 natives living on various islands to the south. The cost of tests at Phiwetok is greater by about a factor of three than tests in Nevada. The number of people for an Friwetok series is about 9000, compared with around 2000 in Revada. The time required for preparation and for an operation at Eniwetok is about S months, compared with as little as 3 months in Mevada.

In the CASTLE operation, four shots will be fired at Bikini first: one on an island to the northwest of the atoll, two on barges in the north of the largon, and one on an island to the south, in that order. Then, two shots will be fired at Eniwetok; one on the island to the northeast where the GRIMMUSE George shot was fired and the other on a barge in the crater of the IVY like snot.





## Scope of Tests After CASTLE

Dr. Bradbury said that for the fissionable material produced had been used for testing and the result had been a 400 or 500% increase in the utilization of fissionable material. In the future, one Kevada series of tests might be held per year with approximately six shots and one Eniwetok series every 12 to 2 years.

Dr. MacDougall mentioned a number of possible candidates for future tests, which are listed below. Home of these have been definitely decided on.




CAD. If there should be a military requirement for this small implosion warhead, a test of its performance might be in order.

Small Gum. If a small gum (& inches or 240 mm in diameter) were developed, a test might be desirable.



Boosting Experiments. Tests may be required because of the unknown extent of mixing of the thermonuclear and fission components. The



- 11 -

July 16, 1953

possibility of using a solid compound such as lithium deuteride instead of the deuterium gas used in the ay need to be tested.

Initiation. It is hoped that the mechanism of operation can be understood from HE shots at los Alamos, However, there is a possibility of a full-scale test if a state is developed or


High Yield Mark 7. Lark 7 containing around of oralloy may need testing at Fniwetok.

Mark 13. This may be proof tested at some future time.

A test at Fniwetok will probably be necessary when this has been developed.

Thermonuclear Weapon Components. Component tests related to studies or improvements of the TX-1L, TX-16, TX-17, and may be necessary in Nevada. Two such tests were made at UPS:0T, the and the experiments.


PIDJECT THITTEY



- 12 -


July 16, 1953

ruma.



- 13 -

July 16, 1953



- 14 -

July 16, 1953


CLETED.




- 15 -

July 16, 1953

DELETED







(During the afternoon of July 9, a presentation of the status of the MTA project was made by a representative of the California Research and Development Co., and then a tour was made of the facilities of Project Whitney and the MTA at Livermore.)

(Discussions were held in Borkeley on the morning of July 10 among personnel of the Division of Military Application, the San Francisco Operations Office, and the University of California Radiation Laboratory on facilities and budget matters in regard to Project Unitney. These discussions will be covered by Col. Beckedorff and Mr. Gise in their trip reports.)

(The MIC members visited the Naval Radiological Defense Laboratory on July 10.)

Paul C. Fine Technical Assistant Division of Military Application

