MESSAGES RE SHOT NO. 1:

-		
' 1.	l'unber:	Unnumbered 104574
•	Date:	March 3, 1954
	Time:	00172
-	From:	CJTF-7, ENIWETOK, MI
	То:	CSUSA DEPTAR WASH DC, CHAIRMAN AEC WASH DC (DEPTAR PASSES)
	Subjec t:	H + 48 hour advisory. Surface readings at Rongelap; Weather detachment evacuation; skin readings; no symptoms evident. Rogerik reading; aerial survey of ütirik.
2.	Namber:	Unnumbered
	Date:	March 3, 1954
	Time:	05307.
	From:	CTG-7.1, ENTWETCK, MI VIA LOS ALAMOS
- -	To:	Bigher
	Subject:	Heavy fallout East of Bikini; 20 weather personnel evacuated - their film badge readings; some natives Rongelap and Utirik evacuated; estimated theorectical maximum infinity dose, Rongelap; actual doses to be estimated on completion of evacuation and information sent.
3.	lumber:	Unnumbered BEST AVAILABLE COPY
=	Date:	Narch 3, 1954
• :	Tine:	1155 2
	From:	CJTF-7, ENTWETOK ATOLL, MI
1 •	To:	CSUSA WASH DC, CHAIRMAN AEC WASH DB
	Subject:	H + 60 hour advisory. Evacuation of Rongelap; decontamination of natives; dosage estimates. Rongerik weather detachment dose estimates. Belief danger to Karshall Islands passed.
326 RG	US DOE ARCI U.S. ATOMIC COMMISSI Das MCC	ENERGY N

•

· · · · ·

68

1

Box JOB 1320 Folder Rengelap, Utivile Twx's 1959 Folder, Fellout Following TBRAND

. :				•	Ç	
·	4.	Hanber:	NR 51-S			•
		Date:	March 3, 1954			
!		Time:	14202			· .
		From:	Fry, USAEC, NYOO			
1		To:	Bigher			
	•	Subject:	Quote from message 2:	H-6 forecast the Correction of paerology traject	oart 1 DTG 0107	
;	5.	Nunber:	OUTGOING			•
		Date:	March 3, 1954 DECT	AVAILABL	ECODY	·
		Time:			every	
:		From:	B aghe r			
•		To:	CTG ?.1, ENIWETOK, MI	VIA LOS ALAMOS	3	
•		Subject:	Requests measurement fi addition to Haight's me examined NYOO if not Ra	dical observati		
•	6.	!lumber:	OUTGOING (INTERNAL AEC)		
		Date:	March 3, 1954			
		Time:				
		From:	Bigher			
•		To:	General Fields, DFA			
		Subject:	Meteorological data on :	first shot - 2/	28/54 - 1845z	
	7.	llumber:	NR C-C97	•		
:		Date:	March 4, 1954			•
1		Time:	033 3z		DOE AF	RCHIVES
		From:	CTG 7.1, ENIWETOK, MI			
•		То:	USAEC WASH DC VIA LOS A	LAMOS - FOR BUG	HER	
		Subject:	Evacuation of Rongelap reported. Water and so over to Breslin for ship	il collections	will be made a	

31 .	Muther:	OUTGOING
	Date:	Karch 4, 1954
	Time:	·
•	From:	Eisenbud
1	To:	CTGF-7 PASS TO ALSLIN
	Subject:	Requests soil, water, excreta samples that will help evaluate fallout.
9.	Mumber:	NR S-094
	Date:	March 4, 1954
	Time:	0350z BEST AVAILABLE COPY
	From:	CJTF-7, ENIVETOK
	10:	USAEC LAFO LOS ALAMOS PASS TO AEC WASH DC
	Subject:	H + 72 hour advisory. Evacuation of Rongelap and Ailinginae completed. Evacuation of Utirik will begin morning of March 4. RadSafe survey Bikini ground readings. Re-arrangement of shot order
10.	Ramber:	NYOO NR 86 NR S-110
	Date:	Narch 4, 1954
	Time:	04102
	From:	CJTF-7., ENIWETOK ATOLL, MI (BRESLIN)
	То:	NGR NYOO VIA LOS ALAMOS FOR MERRIL EISENBUD
	Subject:	Hot soil samples to be collected. Requests information for sample collection for GABRIEL.
11.	Mumber:	NR C-101
	Date:	March 4, 1954
	Tine:	0600Z DOE ARCHIVES
	From:	CJTF-7, ENIMETOK, MI
	To:	USAEC LOS ALAMOS PASS TO FIELDS FROM CLARKSON
	Subject:	Release in Hawaii papers on first test hard to find. News rendered unsensational.

		•	
•	12.	‼unlær:	S-31
،	• • • •	Date:	Karch 4, 1954
		Time:	· · · · ·
		From.	FTELDS. DMA
•			
	12-A	: Number:	JF 4563
		Date:	March 4, 1954
	1	Tine:	0001 Z
		From:	CTG 7.1 ENIMETOK MI FROM PRUESS
		To:	CHIEF AFSWP WASH DE
1		Subject:	Suggests possibility of sending medical research team to study exposed personnel.
		و و دې د د د د سې	WILTERRENDS WARE OF ATOMATON WEATOUT for and affaring a
	14.	Mumber:	MR C-115
		Date:	March 4, 1954 (CODE P 050010Z)
		Tine:	COLOZ
		From:	CTG 7.1, ENIMETOK (From Gordon Dunning)
3		To:	USAEC_WASH DC FOR BIGHER
		Subject:	154 natives of Utirik evacuated H +78 hours. Estimated dose. Haight examination reports no present indication of illness. Will follow through Bugher request for urine samples.
•	15.	Mumber:	IR S-133
:		Date:	March 5, 1954 BEST AVAILABLE COPY
		Time:	1045Z BESTAVAILAULU CU
3		From:	CJTF-7, ENTWETOK DOE ARCHIVES
		То:	CINCPAC
		Subject:	AEC-DOD desire to send biomedical research team to study natives exposed to radiation. If concur, please inform senior representativ to High Command Territory Pacific Islands.

·. · · · ·--·

. . ..

. .

-

- ·

۱۲

.

.

*	•	. (
	Norther:	1:r S-132
. مواد به منظمین دین اور	Date:	Karch 5, 1954
	Time:	1050z
- ! -	Fron:	CJTF-7, ENIVETCK
	To:	CHIEF AFSWP MASH DC
	Subject:	Kwajalein has only small dispensary type facilities. Task Force cannot provide radiological instruments. Suggests medical team bring what is necessary. JTF-7 will notify High Commissioner Trust Territories.
17.	Number:	NR 54-S
	Date:	March 5, 1954
	Time:	1545z
·	From:	EISENBID, MOO, AEC
	To:	USAEC WASH DC ATTN BUGHER
	Subject:	Relays quotes from Breslin message of March 5. Patterns executed. RadSafe estimates of exposures. Haight examination of natives reports no evidence radiation sickness at present.
18.	Number:	OUTGOING
	Date:	March 5, 1954 BEST AVAILABLE COPY.
	Time: From:	BUGHER
4	To:	CLARKSON, CJTF-7
	Subject:	Dunham and LeRoy on medical team. Requests permission for both men to have as direct communication as possible with this office.
19.	Number:	OUTGOING
	Date:	Harch 5, 1954
x .	Time:	
	From:	BUGHER DOE ARCHIVES
	To:	GRAVES, CJTF-7
· · · · · · · · · · · · · · · · · · ·	Subject:	Meed more exact information re number of people who vomited or were acutely sick before island evacuation; number people evacuated from each island; number chronically ill before 2/28; seasickness aboard ship;

.

•

•

72 5

.

(1R S-146 Luniber: March 6, 1954 Date: 0435z Time: CJTF-7, ENIWETOK From: USAEC VIA LOS ALAMOS FOR BUGHER To: CJTF-7 agrees to direct communication by LeRoy and Dunham Subject: with Division of Biology and Medicine as long as information copies are furnished Headquarters. NR S-161 21. Number: March 6, 1954 Date: Time: 0545Z Fron: CJTF-7, ENIWETOK To: CHILF, AFSWP WASH DC Subject: Project 4.1 study of humans exposed to high yield is approved. Some personnal evacuated from Rongelap believed to have received 130r. At least 3 Weather detachment personnel on Rongerik received 93r. Natives evacuated from Utirik received approximately 17r prior to leaving atoll. Requests JTF-7 at Travis to assist Cronkite for movement of personnel and equipment to Kwajalein. Requests clearance status of project personnel be forwarded. NR c-160 22. Mumber: BEST AVAILABLE COPY March 6, 1954 Date: Time: 0825Z CJTF-7, ENIMETOK (Breslin) From: To: MGR NYOO USAEC VIA LOS ALAMOS PASS TO MASH DB (for Eisenbud) Expects to collect several hundred soil, water, urine and feces Subject: samples. Requests advice on limit of samples can be processed in MY. 23. Humber: OUTGOING **DOE ARCHIVES** March 6, 1954 Date: From: BUGHER BRESLIN, CJTF-7, ENIMETOK WITH INFO COPY TO EISENBUD, NYOO To: No limit to number of samples for analysis NY. Particularly Subject: interested in ruthenium 160, strontium 89 and 90. 3

Ŀ

-	Number:	OUTGOING LETTER
	Date:	Earch 6, 1954
	From:	BUGHER
	To:	Clarkson
-	Subject:	Dunham to accompany special medical team as AEC medical liaison Dunham has both military and AEC travel authorization.
25.	Number:	OUTGOI!!G LETTER
	Date:	March 6, 1954
	From:	BUGHER
	To:	CLARKSON
	Subject:	Requested LeRoy to represent Bigher.
26.	Number:	NR-292
	Date:	March 7, 1954 BEST AVAILABLE COPY
	Time:	1935z
	From:	JTF-7, TRAVIS AFB CALIF
	То:	JTF-7 HICKAM AFB, ENIMATOK
	Subject:	Cronkite and party returned to Travis due to malfunction of navigation equipment. Scheduled to depart Travis 030055Z aboard_trip 231/08.
27.	Number:	NR -293
	Date:	March 8, 1954
	Time:	0240 <u>z</u>
	From:	JTF-7, TPAVIS AFB CALIF
	To:	JTF-7 HICHAM, ENIWETOK, AEC WASH
	Subject:	Cronkite and party departed Travis C301242. Assured of minimum delay at Hickam.
28.	Number:	SWPWT 77025 (WT-47975) DOE ARCHIV
	Date:	DUE ARCHIV
	From:	CHIEF, AFSWP, WASH DC
		CG, JTF-7, CTG 7.1 ENIVETOK, CO TASK UNIT 13 FOR PREUSS

•

•

. _ _

• •

•

* - •	- 1		
	29.	llunber:	NR C-203
		Date:	March 8, 1954
		Time:	1330Z
- 1		From:	CINCPAC
1	•	To:	BUGHER
		Subject:	
2	30.	Number:	CUTGOING BEST AVAILABLE COPY
2		Date:	Earch 8, 1954
•		From:	Bigher
···· •		To:	Commander, JTF-7
		Subject:	LeRoy and Dunham enroute as personal representatives. Both will assist Graves and Clarkson as necessary. Requests they have opportunity to study and evaluate medical problem and utilize to the best advantage the medicalteam.
	31.	humber:	
		Date:	March 10, 1954
; j		Time:	0254 z
		From:	US NAV PAD DEF LAB SFRAN
:		To:	CJTF-7, ENIWETCK AND CTU-13 (ATIN. CRONKITE)
- i -		Subject:	USNRDL prepared to study and follow-up domestic animals if available from project 4.1 test area. Advise.
	32.	Number:	NR S-234
		Date:	March 10, 1954
•		Time:	0603Z DOE ARCHIVES
		From:	CJTF-7, ENIVETOK
		To:	CHAIRMAN AEC WASH DC VIA LOS ALAMOS
- ! - · -		Subject:	Clarkson report to Fields and Bigher as of 101200. Dunning visit to Kwajalein: investigated health of natives. Original report about 20 natives sick first and second days based on their own statements, which are difficult to evaluate. No natives actually observed sick by medical personnel except 1 case of vomiting the first day aboard evacuee ship from Rongelap. Practically all Rongelap natives had
			75

skin itch. Itch ceased when decontaminated. No skin symptoms or signs yet. Erythema difficult to detect on native skin. Highest gamma reading (from hair) 400 milliroentgens per hour about about H456 hours. Repeated washings have reduced reddings to 7 milliroentgen per hour. Washings will continue. No estimate of beta dose. Average initial white blood counts at H455 to H475 was 7700. Repeat counts at H4158 was 5300. Greatest variance in white blood counts from Rongelap 24300 about H475 hours, to 3700 H4130 hours, to 6000 H4158 hours. Another 60-year-old mative white blood count H455 was 12660, at H4168 was 6400, and at H4192 was 2900. Prognosis of Rongelap group depend upon further studies. Greatest variance white blood counts weather personnel Rongerik 10000 about H432 hours to 5800 H4144 hours.

Great efforts being made to keep natives comfortable on Kwajalein. They are contented. Utirik group will be sen to nearby island Ebeye when High Commissioner directs and studied intermittently. Rongelap group retained Kwaj for intensive study by AEC/DOD research team. No decision as to time of return to home islands. Recommend wait until after series completed then re-check radiation levels again.

Estimated activity megacuries per square mile at time of fallout: Rongelap 3 at H+6 hours, Rongerik 2 at H+8 hour Utirik 0.17 at H+16 hours. Soil and water samples being collected. One set water neasurements at Rongelap showed concentration at D+3 days from 2 to 28 times above $f 5 \times 10^{-3}$. Team receiving excellent cooperation at H-3 key in the state of the set water is a state of the set water of the set water is a state of the set water is a state of the set water of the set water

33. Mumber: OUTGOING

BEST AVAILABLE COPY

- Date: March 10, 1954
- From: BUGHER

CUTE VIA LOS ALANOS - FOR CRONKITE

Subject:

To:

Shipman at Los Alamos will do plutonium analysis urines. Selected 24 hour specimens highest exposure group preferable. Will give essential data ratio external internal hazards. Shipmanx also can furnish limited number additional personnel if needed.

(El. Bory of Cepenop read and abstraction are items to date : Items 1 thru 33)

76

DOE ARCHIVES

•	•	
-34:	Tunber:	OUTGOING FROM MAVY
	Date:	Karch 10, 1954
	Time:	1900 Z
	From:	VAN C TIPTON CAPT MC DEPT OF MAVY WASH DE
	To:	
	Subject:	Suggest Cronkite be advised concerning NEDL desire to study possible internal effects in animals from forward area by dispttch to CDR JTF-7 c/o TU 13 Attn Cronkite Ewajalein.
35.	Number:	
	Date:	Harch 10, 1954 BEST AVAILABLE COPY
	Time:	0649Z
	From:	MAVSTA KMAJALEIN (LEROY)
	То:	USAEC WASH DC ATTN JUGHER ·
	Subject:	Crenkite team organized in JTF-7 as Project 4.1 of TU-13 of TG 7.1, Scientific group. It is set up in adequate quarters, well supported by local command. Natives are properly treated. Their morale is good. Tobin, anthropologist for Migh Commissioner is most helpful. There are 4 exposure groups. Rongelap group, 65 natives, estimated dose 125r. Rongerik group, 23 Americans, dose 85 to 95r. Alinginae group, 17 natives, dose 7År. Utirik group, 154 natives, dose 10 to 20r. Today only Rongelap group has signs of injurg. There are no symptoms. Findings consist of just significant reduction of white count. Daily situation report will be filed by Cronkite with our concurrence.
36.	Manber:	S-02TA
	Date:	Harch 9, 1954
	From:	LASL SHIPPAN DOE ARCHIVES
	То:	EVGHER DOE ARCHIVES
	Subject:	Following is boiled down version of what LASL has received, with some of LASL's thoughts as to what it means. Party remaining on MAN noticed radiation level rising at H420 minutes. We understand this level reached 40r per hour and possibly higher. Rapidity of arrival of activity would indicate some mechanism other than wind borne fallowt. Party on MAN remained in building and were evacuated H410. Melicopter survey at H44 showed following levels in r per hr: From 25 foot altitude, Tare 0.4; Sugar 1.5; Oboe 3.5; Man 10; from

ļ

:

77

- 10

والمعيور والمراجع والمستورية متصبون فالمتعارين والمراجع ومناجع متعامين ويتمتد والمتعاليان

36. Subject (continued):

100 feet altitude, George 50; Fox 3; Dog 1; from 200 foot altitude, Charlie 10; Party landed on Dog at H411 finding level estimated 80r per hour. We understand that most of the ships experienced moderate fallout bit have no numbers. We have no results to indicate rate of decay on atoll.

Fallout traveled on an approximate line from Simkini to Bikar Atolls and was reported approximately 200 miles south of Hawaii at H456 with intensity of approximately 0.04 mr per hour between 12 and 29000 feet. Reading at Rongelap at H436 reported as 1.4r per hour. It was assumed that fallout started at Rongelap at H48 hours. Natives were evacuated by H451. Three member USAF weather detachment Rongerik received estimated dose 98r on basis of one film badge; these people lived in tent. Four film badges representing remainder of personnel in metal barracks averaged 44r. Weather detachment evacuated H436. Aeriel survey of Utirik at approximately H434 indicated ground reading of 0.6r per hour. Matives from Utirik evacuated by H478 with estimated dose 17r.

It would appear that the weather played a dirty trick as we have seen it do in the past. We feel it quite important to do urine assays for plutonium on representatives of the groups receiving the higher exposures. This should give valuable data as to ratio between internal and external hazards. We would like to do some of these assays if we can be furnished 24 hour specimens. We can furnish limited number additional personnel if needed. I hope you will keep me advised as to any help we may offer.

37. Number:

BEST AVAILABLE COPY

Date: March 10, 1954

.....

From: LASL SHIPMAN

To: JICHER

Subject: Re making wrine assays of exposed personnel. Requests, if Bigher approves proposal, that he advise Cronkite. Payne Harris and Shipman to leave for Hwaj at end of week.

DOE ARCHIVES

11

28.	l'umber:	() () () () () () () () () () () () () () (
•	Date:	March 11, 1954
	From:	BUGHER
	To:	CJTF-7 ENIMETOK VIA LOS ALAMOS FOR CRONKITE
	Subject:	Shippan and Harris of LASL arriving soon for special urine samples. Will bring containers for consecutive 24 hour collections.

- 39. Number:
 - Date: March 11, 1954

Time: 2301Z

From: MAV STA EMAJALET SIGHD LEROY

To: CJTF-7 ENTWETOK (TUFO TO BIGH R)

Subject: Cannot agree that psychological reasons should determine disposition of Rongerik group. Cannot agree with clinical judgment that these men return to duty. Earliest possible men should be studied by Project 4.1 to obtain maximum amount of information on FOX PETER metabolism and other aspects of radiation injury. Native groups are not satisfactory for retabolosm and other studies because of taboos, language, and other diseases. Rongerik group essential for mission of Project 4.1. Request they be transferred to this station at once.

E0. Number: NR C-256

BEST AVAILABLE COPY

- Date: March 12, 1954
- Time: 0514Z

From: CJTF-7 VIA LOS AVANOS (BRESLIN)

To: USAEC NY (INFO TO LOS ALAMOS)

Subject: 500 LB samples can be obtained subsequent next event from either Bikini or one of recently evacuated atolls. Binkini sample can be scheduled in regular recovery operations. Other will require specia surface vessel trip. Is there a preference regarding location? (xeryxicroxiceanics).

DOE ARCHIVI

(For Eisenbud) Gunmed pa film supplies never sent to Rongerik. Soil and water samples will arrive LaGuardia via Flyaway 23 scheduled depart forwar area H+36. Suggest you contact JTF-7 rear for ETA New York. Accompanied by Graves, checked scintareter against several Bikini islands on March 8. Graveson prepared curve which includes much on previous available calibration data. Believe curve valid for expected altitudes.

Ŀ1.	Evabur:	
, , , , , , , , , , , , , , , , , , ,	Date:	larch 12, 1954
	Time:	2255z
:	From:	FRY USALC NYO
•	То:	USAEC WASH DO INFO CY FOR BIGHER ACTION CY TO CJTF-7 ENTWETOK
-	Subject:	Pass to Breslin. Gummed paper from USS Merapi indicates a fallout equivalent to 4000 curies per sq. mi. on Bravo + 1 day. Course of vessel given. Total dose 3 feet above deck from D+1 to D+12 estimated less than 600MR on estimate of gummed paper measurement. Vessel was headed for forward ends. If available would like gamma measurement 3 feet off deck to theck our estimate of hrr per hour at present time. From M. Eisenberd
<u>1</u> ;2.	Munber:	
	Date:	Harch 12, 1954 BEST AVAILABLE COPY,
	Tine:	2330Z
	From:	NAVSTA KWAJALEIN
	To:	CJTF-7 ENIMETCK INFO AEC SUGAR
	Subject:	Rongerik group needed earliest possible for period of approximatel; 3 weeks at Kwajalein. From LeRoy
43.	Number:	
	Date:	March 12, 1954
	Time:	SVC 8787
	Fron:	CJTF-7 ENIMETOK
	To:	CHAIRMAN AEC, CHIEF OF STAFF ARM, CINOPACELT
	Subject:	Message shown on blue nemo paper attached
<u>1.).</u> .	Number:	SVC 8792
	Date:	March 13, 1954 DOE ARCHIVES
	Time:	0220Z
	From:	CJTF-7 ENIWETCK
	To:	CHAIRMAN AEC AND CSUSA WASH DC
	Subject:	This is my 12227)x 130200 Mike report on natives. Medical team reports no clinical illness describeble to radiation injury. Mean leukocyte count of groups unchanged. Range of white counts wider preceeding day, 4 individuals with counts 4500, five with counts 10

- In. Subject (continued): no leukocyte counts below 3000. No significant thrombopenia. Few tropical ulcers and swollen painful feet of long duration seen not due to radiation. Cral lesions of long duration seen and connected with poor oral hygiene.
- 45. Mamber: SVC 8798

Date: Narch 13, 1954

Tire: 14572

From: CINCPACELT

TO: CNO DIFO CONSERVANC AND AEC (DMA)

Subject: Patapsco acg one assigned rest availability for radiological decontamination as result of radiological survey conducted on arrival Pearl to determine if contaminated by cloud fallout while enrouse Eniwetok to Pearl. CJTF-7 advised northern part cloud fringe could have reached Patapsco by H+8 hours with ship moving away from main cloud path. Patapsco crew removed from ship during decontamination. In view possible public relations implications recommend AFC be advised.

46. Mamber: SVC 8822

Date: Narch 33 14, 1954

Time: 0342Z

BEST AVAILABLE COPY

From: CJTF-7 ENTNETOK

To: CHAIRPAN AEC

- Subject: This is report for 141200 Mike. CJTF-7 visited Kwaj today. LeRoy and Dunning enroute to Honolulu to talk to Rugher by phone. No sickness along natives. Matives still being observed and lab work continuing. Blood findings Rongelap natives are similar to those found in Japanese who had light radiation injury at distance of approximately 1 and 1/2 miles from ground zero. Utirik natives show no findings and none are expected.
- 17. Mumber: NR S-296/141055Z

DOE ARCHIVES

81

Date: March 14, 1954

Time: 09002

From: BRESLIN

To: EISENBUD

Program 4 medical team at Kwaj performing urine analyses. Most waxter samples 1 to 2 quarts volume. Soil samples approximately 1 sq. ft. surface to depth 1 inch each. Require activity per sq. ft. and decay.

Following gamma measurements on Merapi 1 inch from surfaces with Able, Man/ Peter Dog Roger 27 Easy at 091430 Mike; all topside steel decks lnr per hour, steel rigging topside 2 to 3mr per hr, canvas hatch and gun covers 4 to 5mr per hr, Eahila lines piled by MR one cargo hatch 5 mr per hr, wooden deck gratings on open bridge 3mr per hr.

Romeo postponed until 17 March Mike. From Breslin

13. Mamber: SVC 8850

Date: March 16, 1954

Time: 04012

From: ALLARDICE VIA MANSTA KMAJALEIN

To: AEC WASH

Subject: Allardice and JCAE staff members report on visit to Pacific Area. For full text of message, see translation.

BEST AVAILABLE COPY

DOE ARCHIVES

49: Munber: SVC 8645

Date: 12rch 15, 1954

Time: 22192

From: MAYSTA HWAJALEIN

To: AEC WASH ATTN BUGMER

Subject: Now beginning third week post-exposure. None of Americans from Rongerik available to Project 4.1 for study. See Project 4.1 report this date. From Dunham

50. Number: SVC 8360

3

Date: Narch 16, 1954

Time: 101/1Z

From: CJTF-7 KEKK

To: CHAIRDAN AEC

Subject: Nothing new on natives as of 1200 March 16. 3 U.S. Army personnel who were on Rongerik and received 98r will arrive Kwajalein March 17 to report to Cronkite. Mone of the above shows signs of rediation illness.

51. Morber: 570 8900

Time:

Date: Narch 18, 1954

1.901/15Z

BEST AVAILABLE COPY

From: CJTF-7

To: CHAIRMAN USAEC

Subject: Report as of March 18, 1200M. On the 15 post-exposure day, epilation convencing on 2 adults and 8 children. No radiation burns on skin seen yet. Impetigo prevalent in children. Radiographic survey of chest partially completed. Some pulsionary disease observed. Mean leukocyte count Rongelap group 6270. 19 counts below 5000 and 6 counts below 4000. Of 19 below 5000 the trend has been progressively down since fourth exposure day.

DOE ARCHIVES

52. thumber: WAR STO 3887

Date: March 17, 1954

Time: 1000Z

From: CJTF-7

TO: CHATRMAN AEC MASH DC AND COS USA MASH DC

Subject: This is report as of 171200M. Cronkite reports that a 3-year old girl epileted on the U: day after exposure. Army and Air Force personnel exposed on Rongerik will arrive Hwaj today.

• • •

53. Humber: NR S-336

Time:

BEST AVAILABLE COPY

Date: March 19, 1954

1200M

From: CJTF-7

To: CHAIRIAN USAEC MASHEDC

- Subject: Report as of 191200M. 24 Rongelap natives epilating. In areas of epilation unusual dry, pignented, papular, scaling lesions, possibly due to irradiation, are developing. Similar lesions are appearing in folds of neck and extending outwards. All natives are feeling vel appetite prodigious. Leukocyte count of 24 Air Porce personnel RTOM 450. Leukocyte count of 23 control Americans 6225. Platelet count of Air Porce personnel 23000, control Americans 24600. Mean platelet 163000. Latter group comparable to Ailinginae exposure groups. Doptors Shipman and Harris, LASL, arrived Kwaj and 24-hour urine collection cormenced on American personnel.
- 54. Number: SVC 8944
 - Date: Narch 19, 1954
 - Time: 13112
 - From: CJTF-7 ENTWETOK

To: COMPLAYSTA KWAJ

DOE ARCHIVES

84

Subject: Pass to Cronkite. Reference your 190130Z. Distribution of your reports are made daily to following agencies:

- A. Chairman, AEC for Div. Biology & Medicine and DMA
- 2. Chief of Staff, US Army Executive Agent who distributes such reports to all interested DOD agencies, including AFSW P.
- C. CINCPACELT.
- D. CJTF-7 (Pear) Washington, D. C.

	•	
٢S	. Muler:	SVC 8915
• /	Date:	March 19, 1954
	Time:	120 ¹ 4Z
	Fron:	CJTF-7
-	To:	USAEC WASH DC FOR NICHOLS
	Subject:	See attached translation (Marked 55)
5	• Mar.ber:	SVC 8947
	Date:	Harch 19, 1954
	Tine:	1307Z BEST AVAILABLE COPY
		COPY
56	2. Hunder:	SVC 89 70
	Date:	March 20, 1954
	Tine:	oʻjaljz
	From:	CJIF-?
	·:>:	C'ELIPIAN AFO
	Sabj:	Report as of March 20, 00002. Leukocytes and platelets appear to be leveling off. No further drop of great magnitude in any individual patient. No new cases of epilation. Atypical skin lesions previously described now present in 28. Perioral and perianal lesions described yesterday unchanged. Condition aged diabetic admitted to hospital remains same. No epilation or other radiation lesions seen in the Ailing inae or Uterik groups.
-		
	Date:	liarch 21, 1954
	Tine:	CELOZ

Fron: CJTF-7

•

1

DOE ARCHIVES

To: CHAIRMAN USAEC MASH DC

Subject: Report as of 2100012: Part 1: No new developments on natives. No progression of lesions. Part 2: 3 Navy enlisted men who according ' film badges received 96r, 95r and 95r respectively have reported Cionkite at Muaj. Show no outward evidence of radiation injury. Pu Rongerik group of Americans changes limited to blood. Part 4: Mr. : Chairman, AEC, visited Hwaj March 20 to see natives and the exposed Americans first hand.

Date:	Larch 21, 1954
Time:	фfloz
From:	CJTF-7 ENTWETCH

Whiber:

SAC 3000

To: DMA AEC MASH DC

Subject: After receiving advice from my staff surgeon, radiological safety advisors and scientific director, I have authorized a maximum permissible exposure (radiation) to a limit of 7.8r (gamma only) which may be acquired at any time during the 13 week period of the operation for a limited number of critical Maval personnel. My radiological safety regulations which have open approved by the Departments of the Army, Mavy, Air Force, and by the AEC contain the provision "the MPES and MPLS are subject to revision by valver from the Task Force Cormander in individually designated cases when circumstances indicat the need and justification therefore". The same regulation referred above contains authority for MPE of 20r (gamma only) for the operatic period for crew members of sampling aircraft.

The personnel for whom the NPE has been increased to 7.8r includes th following: 30 helicopter pilots and plane captains; 120 boat operation personnel of boat pool; 75 flight deck crewmen of USS Bairoko, and 263 crew members of USS Phillips (DDEL98).

I propose additionally to increase to the same limit a small number of individuals not members of critical groups listed above who already have received more than 3.5r bit less than 7.8r and who will be so employed as to minimize probability of further exposure.

It is planned that in the future the Phillips will not be in the vicinity of the shot stoll except in emergency.

Every effort will be made to assign personnel with dosages of 3.9r or more to activities requiring minimum or no exposure. In the inter of efficiency and continued progress and cost involved, coupled with the relative insignificance of any doses in the region of 7.8r, plan to continue using these personnel.

60. Humber: 570 9001

March 21, 1954 BEST AVAILABLE COPY

Time: 2359

Date:

DOE ARCHIVES

From: NAVSTA HMAJ

To: AEC EASH DC

Subject: Received from Haupin. Dick Johnston all set. Receiver on Bairoko. Hight fail to receive if Bairoko has to move out to large distance of if delay cause battery failure. Dunham sends.