

Reproduced from the holdings of the National Archives

~~CONFIDENTIAL~~ Pacific Southwest Region

Holmes & Narver, Inc.

Engineers-Constructors

Contract No. AT-(84-2)-20

DECLASSIFIED PER DOE

LETTER DATED JUDY, 15, 1994

FROM ALTON SINISGALLI TO

DIANE S. NIXON

RRR:ERB:my
3/13/57S.O. 98, Rev. 2
Typed: March 13, 1957

To: Project Engineering File

Job: 242

From: Chief Project Engineer

Ref: Rehabilitation of Rad-Safe
Stations at (1) Wotho, (2)
Ujelang and (3) UtirikNATIONAL ARCHIVES
REPOSITORY PACIFIC SOUTHWEST REGION

ACTION RESIDENT MANAGER, EPG; Chief Estimator COLLECTION RG 326 ATOMIC ENERGY COMMISSION

Identification No. Item (1) - 19600 BOX No. 52670 (#28) A16164 326-658730

(2) - 19610

(3) - 19620

FOLDER WEATHER AND RADSAFE STATIONS

Reference

- (A) Confidential letter JTF-7 dated 2-11-57, 2-1-57,
1-30-57 and 1-28-57 may be seen in Project Engineer Files.
Copies of same will be transmitted to jobsite.
(B) Letter ETE:FWH 343 dated 2-26-57 (JRN 3&228).
(C) Teletype Kohner to Sanders dated 2-27-57.

WAN Account No. 95605/95105

Description of Work

The issue of this Engineering Order authorizes the above action addressees to prepare separate plan sets, separate cost estimates and construction time schedules for rehabilitation of each of the Rad-Safe Stations at Sites Wotho, Ujelang and Utirik, all in accordance with requirements outlined in Paragraphs 6 and 7 of reference confidential letter (A) dated February 11, 1957, as modified by reference letter (B), corrected with reference Teletype (C).

Plans and cost estimates will be forwarded to Home Office Estimating Department for further processing.

Reference Letter (E) is quoted as follows:

"You are hereby authorized to design and prepare estimates for Weather and Rad-Safe Stations as requested in JTF-7 letter dated February 11, 1957.

"Estimates should be prepared for each single location for both the new stations and the rehabilitation of existing stations as funding for this project has not been definitely determined.

"During recent meetings in Washington various suggestions in regard to design were offered as follows:

1. Tanks for potable water are to be fabricated of non-corrosive material.

OIC-Agency-South Vietnam

RRA:ERB:ny
3/13/57

DECLASSIFIED PER DOD
 LETTER DATED JULY 15, 1994
 FROM ARCTON S. NIXON TO
 DOROTHY S. NIXON

2. The plan for the four new weather stations is to be based on the Terawa plan, with minor exceptions, namely:
- Move antennas so that not more than 150' of drop lead to the Operations Building No. 1 is necessary. The antenna can be directly over the building if required.
 - Move the latrine from the barracks building to the dry room and provide a shed for laundry facilities.
- These instructions supersede the design requirements for weather stations in paragraph 3 of JTF-7 letter. The Rad-Safe Station is still to be similar to the Wotro Station.
3. Review the generator capacity at the existing stations to ascertain if it is sufficient to carry the additional load of the ice making machine and electric grill requested in paragraph 7 of JTF-7 letter. If larger generators are required make provisions in your estimate.

"Therefore, you are requested to prepare an estimated construction schedule which will show the number of days required after notification of availability of funds."

Teletype reference (C) is quoted as follows:

"HOHNER TO SANDERS INFO LT COL WALTER A GRAY. REF MY LTR ETE:FWH-315 DATED 1-28-56,
 1957 IN REGARD TO WEATHER AND RAD-SAFE STATIONS. DUE TO MISINTERPRETATION OF
 REQUESTED COMPLETION DATE DISREGARD THIS SENTENCE OF NEXT TO LAST PARA AND ALL OF
 LAST PARA OF LTR. PROVISIONS WILL BE MADE FOR FUNDING OF CONST IN FY 1958 FUTURE
 NOW UNDER PREPARATION. REF ETE:FWH-315"

Authorized for Engineering
 and Design:

Fred W. Hohner
 Fred W. Hohner
 3/19
 AEC Contract Representative

S. P. Novell
 S. P. Novell
 Project Manager

R. R. Atay
 R. R. Atay
 Engineering Manager

(For Distribution, see Page 3)

RRATERBOMY

13/67

RECD PER DOT

E.O. 98, Rev. 2

DATED JULY 15, 1994

Page 3

ANTON SINISGILLOTO

WANESSA NIXON

John F. Sanders, Jr.
Contract Representative
Master Chief, EBO
Project Manager-912

Applications Division (2)

Design Engineer

Associate Controller-912

P. L. Atkins

Chief Estimator (2)

Resident Manager, O/S (2)

Resident Engineer, O/S (3)✓

Resident Controller, O/S

J. Alvy

R. Bates

B. Berrien

L. J. Chernoy

B. R. Colpland

C. E. Daverin

C. W. Embree

V. R. Ferol

T. W. Galvin (2)

R. H. Gunny (2)

C. Hale

H. Roberts

B. A. Riley

Central Files