

26411



PRIORITY

CLASSIFICATION CANCELLED
BY AUTHORITY OF *Dr. [unclear]*
BY *Jacobs* DATE *3/18/81*
BY *Trubert* DATE *3-11-81*

/P R I O R I T Y /

FROM DR JOHN C BUGHER USAEC WASHINGTON DC

TO DR JOHN HARLEY HEALTH AND SAFETY LAB USAEC NY00 NEW YORK NY **NON-CONF**

S-05 54 APRIL 011529Z GR 235



FOLLOWING QUOTED FROM MESSAGE RECEIVED YESTERDAY FROM EISENBUD CLN
"TODAY I DISPATCHED IN TWO SEPARATE POUCHES SEVEN SAMPLES OF URINE
FROM THE PATIENTS NOW AT TOKYO HOSPITAL AND FOUR SAMPLES OF ASH RE-
COVERED FROM THE FUKURYU MARU PD THE LATTER SAMPLES INCLUDE A BOARD
CONTAINING ENTRAPPED ASH OF UNDETERMINED AMOUNT PD THIS BOARD WAS
LYING ON TOP OF THE BRIDGE PD ALSO INCLUDED ARE TWO JARS OF DECK
SWEEPINGS CONTAINING SMALL AMOUNTS OF ASH AND MICROSCOPIC AMOUNT OF THE
PURE ASH RECOVERED BY ONE OF THE SAILORS AND NOW IN THE HANDS OF JAPANESE
SCIENTISTS PD PARA PD I HAVE NO INSTRUCTIONS TO FORWARD IN REGARD
TO THE ASH SAMPLES OTHER THAN THAT THEY BE UTILIZED TO THE FULLEST
EXTENT IN EVALUATING THE INCIDENT PD WE SHOULD BEAR IN MIND THAT
ADDITIONAL SAMPLES OF THE MATERIAL MAY BE UNOBTAINABLE PD IT WOULD
BE DESIRABLE TO ASCERTAIN AT ONCE IF THIS MATERIAL IS SIMILAR IN
CHEMICAL AND PHYSICAL PROPERTIES TO THE DEBRIS RECOVERED IN THE
MARSHALLS PD THIS WILL BE IMPORTANT IN COMPARING THE MEDICAL INFORMATION
OBTAINED AT THE TWO PLACES PD PARA PD IT IS URGENT THAT HARLEY
COMMUNICATE HIS FINDINGS TO ME AS THEY DEVELOP PD HE SHOULD SET UP
A CHANNEL FOR COMMUNICATING THROUGH STATE PD PARA PD SAMPLES FROM
PATIENTS AT THE DAI ICHI HOSPITAL WILL BE FORWARDED IN NEXT DAY PD
EXPEDITIOUS ANALYSIS AND REPORTING

DOE ARCHIVES


END OF PAGE ONE

51-1606
B7c-Edm



US DOE
326 US ATOMIC ENERGY
COMMISSION


MILITARY RESEARCH & APPL. 7-1-9915



PAGE TWO

ALSO ESSENTIAL FOR THESE SAMPLES .PD"

END OF MESSAGE



DOE ARCHIVES