U-GMUV

400933

FOR R. C. SMITH'S APPROVAL FORE DISPATCHING

SPO, FOR OPERATION CASTLE

first draft of the subject

sharrottos att

U. of War

Laboratory Hology & Medicine, AEC Heine & Surgery (Mavy)

Y DECLASSIFICATION REVIEW
ETERMINATION (CIRCLE NUMBER(S))
. CLASSIFICATION CHANGED TO:
. CLASSIFICATION CHANGED TO:
. CONTAINS NO DOE CLASSIFIED IN
. COORDINATE WITH:
. CLASSIFIED INFO BRACKETED
. OTHER (SPECIFY):

2985005

1.6

The decision to predicted

Before"DOD" a joint AEC-".

Change "all" to "many".

σ

Page 13

"and Task Group"



Ralph P. Johnson

Page 2

August 5, 1954

Page 16

In the first sentence of the third paragraph substitute "the Bad-Safe organization of the Scientific Task Group" for "military Rad-Safe organizations." The TG 7.1 Rad-Safe Unit do not some sidered a military organization.

PART II

Page 21

In the third paragraph change "phenomenal" to "tsumami".

Section 1.2

At the end of the section add:

*(7)

Section 3.4

Change "weight" to "weighed".

Section 3.8

PARI III

Page 29

The last two sentences are not understood. Action to handle this emergency was largely guided by decisions arrived at in frequent meetings of key TC 7.1, 7.5, and Holmes & Harver personnel on the UES ESTES where they were quartered at Bikini, and at Parry Island when Eniwetok action was involved. Other task groups and the task force were represented or consulted as appropriate. It is hard to see how coordination could have been closer or more effective.

What the "overlapping responsibility" is I do not know.

Section 1.2

Delete the introductory phrase.

Page 31

fhird line from the bottom of the page - change "was" to "ware".

Page 32

It is suggested that the following be substituted for the last sentence of the second paragraph:

"A large majority of the minor scientific stations were completed and occupied by the user in advance of construction schedules. Beneficial occupancy of major scientific stations by the users was frequently obtained by the desired completion date."

We consider that a facility is not completed until all work called for in the plans and specifications is completed as opposed to the interpretation that if the experimenter can begin moving equipment in on the day the facility was scheduled to be finished the contractor has "met the date" - even though the power system may not

Balph P. Johnson

Jaco 3

August 5, 1954



be operable (Watt, Smith), the doors may bounce (Felt), the elevators may not operate (Grier), the air-conditioning may not function (Colgate), the serven rooms may be shorted (Nett), etc.

Page 32

The paragraph beginning at the bottom of the page, although correct, might be mislanding to someone unfamiliar with planning schedules for test programs. The deadline of 1 May 1953 occurred during UPSHOT-EMOTROLZ, the results of which affected much of the scientific planning for CASTLE. A number of projects were added after this deadline and there were, of mecessity, many changes in the operational concept after that date. This situation is bound to prevail in any test operation.

This excess of cable proved invaluable when we expended into the northern part of Entwetck Atoll when the Bikini system had to be patched.

つつき

1

Section 2.4

This might be a good place to justify the surveying effort if lst Paragraph such justification is needed. Laying out of the scientific program was handicapped by the lack of topography and hydrography. This lack of information resulted in the relocating of many minor stations during the construction phase to secure the desired lines of sight, areas of tidal wash, etc.

ast sentence

It is believed that the "19-pair" should be "16-pair".

The installation of the Bog-500 (Turochi) power plant without lat Paragraph shelter is not considered a desirable practice for future operations although it might seem to have been a money-saving device.

Page 44 ard Paragraph

Mention here of TG 7.3's difficulties with the Eniman mole and russ might essist in obtaining funds for better facilities in the future.

Page 47 3rd Paragraph Last sentence

Only new model (water-proof) jeeps could make this crossing on some tides.

Page 48 Para (1)

The bridge crane was a common commercial electric crane - not posumatic.

Page 49 1st Paragraph

This building contained EP, VP and standard wiring and receptacles.

4th Paragraph

After "storage" add "of nuclear components".

5th Paragraph

Add the followink: "Both sides of the slep as well as the slip proper were dredged to permit berthing of three barges at the same time.

3483



Balph P. Johnson

August 5, 1954

Section 2.6.5

The construction of a decontamination ped with steam facilities at Parry might be mentioned in this section.

Page 53 1st Bentance Delete "first" and substitute "a high".

Comments affecting Holmes & Harver are not intended as a criticism. of their performance particularly with regard to obtaining design criticals. establishing completion dates, etc. They did what was humanly believed possible and then some.

> Original signed by ALVIN C. GALLYES

Alvin C. Graves Leader, J-Division LASL

ACG: DC: JG

Distribution:

√Johnson, Copies 142,

Graves

Cy 4A Dies Gy 5A - Risking File

