

PROGRESS REPORT

403970

-56565-1

DIVISION OF BIOLOGY AND REDICINE

DECEMBER, 1950

Research Projects Approved During December, 1950

The following research projects were approved for negotiation or renewal during December, 1950:

	No. of Projects	Amount
Nedicine	7	\$ 79,823
Biology	5	49,124
Biophysics	_1	31,886
Total	13	\$160,833

Medicine

NFO

DOF CLASSIFIED

DETERMINATION [CIF 1. CLASSIFICATION RI 2. CLASSIFICATION C 3. CONTAINS NO DO 4. COONDINATE WITH 5. CLASSIFIED INFO C

DINATE WITH: DINATE WITH: FICATION CANCELLED FIED INFO BRACKETED (SPECIEVI)

KOLAM

Ę

CIRCLE NUMBER(S)

þ

DEPARTMENT

SINGLE REVIEW AUTHORIZED

SINIGAU REVIEWER (ADD):

*

Western Reserve University - 48,000 (1 year) Investigator: Dr. C. E. Carter Title: "The Effects of Ionizing Radiation on the Content and Metabolic Functions of Ergothionine in Hematopoistic Tissue"

Columbia University - \$15,000 (1 year) Investigator: Dr. Harry Grundfest Title: "Study of Changes in Permeability of Normal, Poisoned and Irradiated Nerve Fibers"

University of Pittsburgh - \$11,000 (1 year) Investigator: Dr. Marie A. Fischer Title: "Nechanism of Frotection against Asciation"

Harvard University (Contract #T(30-1)-793) Henewal - \$9.803 (1 year) Investigator: Dr. David G. Cogan and Dr. R.D. Evans Title: "Production of Cataracts by Neutrons and Other Radiations"

University of North Carolina (Contract No. AT(LO-1)-299) Renewal - \$4,320(1 yr. Investigator: Dr. J.C. Andrews and M.K. Berkut Title: "Tracer Studies and Irradiation in Dental Metabolism"

Tulane University, School of Medicins - 39,560 (1 year) Investigator: Dr. W. S. Wilde Title: "The Metabolic Exchange of Tissue Electrolyte"

Tulane University - \$22,140 (1 year) Investigator: Dr. Roy H. Turner Title: "The Influence of Radi tion Injury Upon Physiology of Serue Lipids NAME: DATE: with Particular Reference to the Function of the Liver"

OFFICE 🕨					
		DECT MOV N	7811-8-01-0]
SURNAME 🕨		DEDICOFIA	VAILADLE		
DATE 🕨	1				
1		I	I		
				TOT AR	CHIVES

Biology

Iowa State College (Contract No. AT(11-2)-73-I)(Renewal) - \$14,674 (1 year) Investigator: Dr. Samuel Aronoff Title: "Research on the Metabolism and Physiology of Roots"

- 2 -

in the second

Iowa State College (Contract No. AT(11-1)-73-II (Renewal) - \$9,900 (1 year) Investigator: Dr. H.R. Sealock Title: "The Combined Biochemical and Physiological Action of Tyrosine and Vitamin B-12"

Michigan State College - \$8,700 (1 year) Investigator: Dr. H. B. Tukey Title: "The Absorption and Utilisation of Radionuclides Applied to the Leaves of Plants"

The Emory W. Thurston Labs., Los Angeles, Calif. - \$6,000 (1 year) Investigator: Dr. Benjamin H. Ershoff Title: "Comparative Effects of the Enoun B Bitamins and an Unidentified Antitoxic Factor in Liver on Radiation Indury in the Mat"

Biophysics

Washington University School of Medicine, Edward Wallinckrodt Institute of Radiology

Part I - Investigator: Dr. Michel Ter-Pegessian Title: "Measurement of Clinical X-fay Desages and Intensities by Means of the Use of Scintillation Media " - \$11,582 (1 year)

Part II - Investigator: Dr. Wendell G. Scott

Title; " Scanning of in vivo Concentrations of Radioactivity in an Attempt to Locate Metastatic Tumors and Internal Malignancies in the Human Body" \$20,304 (1 year)

Ad Hoc Parel (

An ad hoc panel of radiologists and physicians consisting of

Dr. Alan Gregg, Director of the Division of Medical Sciences, Rockefeller Foundation, and Chairman of the ANC Advisory Committee for Biology and Medicine, who moted as chairman of this meeting

Dr. Austin N. Bruss, Associate Professor of Medicine, University of Chicago Medical School, and Senior Biologist and Director of the Division of Biological and Medical Research, Argoune Mational Laboratory of the AEC

Dr. Simeon T. Cantril, Radiologist with the Tumor Institute of The Swedish Hospital, Seattle, Washington, consultant to the Atomic Energy Commission and to General Electric Company in their operation of Hanford Werks during the last war full time with the Manhattan Project

DOT ARCHIVES

OFFICE 🕨		
SURNAME 🕨		
DATE 🕨		
	14 million and many many many many many many many many	

Compute

Dr. Andrew H. Dowdy, Professor of Radiology and Chairman of the Department, Medical School of the University of California at Los Angeles, formerly Professor of Radiology at the University of Rechester Medical School and head of the AEC research laboratories located there.

Dr. Louis H. Rempelmann, "ssociate Professor of Radiology at the University of Rochester Medical School, Special Assistant to the Director of the Division of Biology and Medicine of the AEG, formerly head of the Health Division, Los Alamos Scientific Laboratory.

Dr. Robert F. Leeb, Bard Professor of Medicine, Gellege of Physicians and Surgeons, Columbia University; specialist in Pathology and Internal Medicine, Chairman, Medical Meard of Review, AEC, 1947.

Dr. Curt Stern, Geneticist and Professor of Zoolegy, University of Galifornia, member of AEC Advisory Committee for Biology and Medicine, formerly Chairman of Division of Giological Sciences, University of Rochester, and geneticist with the AEC project located there.

Dr. Shields Warren, Professor of Pathology, Marvard University Medical School, Director, Division of Biology and Medicine, AEC.

Brigadier General James P. Cooney for the Army, Admiral Thomas G. Anderson and Dr. Robert Flinn for the NSRB , and Major Gerrit L. Makhuis for the Air Force

participated in a meeting at the offices of the Division of Biology and Medicine on December 8, 1950 for the purpose of studying the smount of external rediation from radioactive materials that military personnel could tolerate and still affectively carry out their assigned duties and missions in the armed Forces. In arriving at the conclusions the Committee took into account the results of extensive minal experiments, the response of patients treated for disease by x-ray and radium, observations on the effect of radiations from the stom bond detonated over the Japanese cities of Hiroshima and Magasaki and accidental radiation exposures within the Manhattan Project and the AEC.

Henders of the Division of Biology and Medicine sound as staff to this Sommittee in collecting and summarizing pertinent available research data and clinical information and presenting it to the Committee for their consideration.

The following questions were propounded and the answers are set forth as determined by the Committee:

and the state of t

Question 1. Assume that troops are southly expased to penetrating ionizing radiation (gamma rays). At what dosage level will they become ineffective as troops?

Answer of the Committee - Uniform desage of 50r to a group of armed force personnel will not appreciably effect their efficiency as a fighting unit.

OFFICE ►	
SURNAME 🕨	
DATE 🕨	
	DOT ARCHIVES

Uniform scute dosage of 100r will produce in occasional individuals nausea and vomiting, but not to an extent that will render Armed Forces personnel at any time ineffective as fighting units. Troops receiving an acute radiation dose of 100r and above ought to be given, as soon as feasible (within a week, if possible), a period for rest and individual evaluation.

Uniform acute dosage approximately 150r or greater can be expected rapidly (in a few hours) to render armed forcespersonnel as a group ineffective as troops through a substantial incidence of nausea, vomiting, weakness and prostration. Mortality produced by anacute dose of 150r will be very low and eventual recovery of physical fitness usually may be expected.

Field officers should therefore assume that if substantial numbers of their nen receive acute madiation doses substantially above 100r, there is grave risk that their commands will rapidly become ineffective as fighting

Question 2. What dosage will render an air crew inefficient, that is, unable to complete a mission, during a flight of one to three hours, four to twelve hours, twelve to forty-eight hours?

Answer of the Committee: In all three cases if radiation dosage to flight crew members is held below 75r, radiation exposure will be unimportant in determining the success or failure of a minision provided the crew members had not previously received an appreciable amount of radiation. In all three cases radiation doses substantially above 75r, combined with human stresses essociated with military aviation missions in wartime, are considered to very seriously reduce the odds for successful completion of amission.

Question 3. How often may an aircraft crew accept an exposure of 25r per mission and still be a reasonable risk for subsequent missions?

Answer of the Committee - It is probable that at least eight missions can be carried out at weekly or longer intervals, with exposure of 25r per m ssion, before the chance of mission failure becomes large due either to illness during the mission or significant general deterioration in health and ability. Nore n ssions may be feasible, but personnel should be carefully checked and evaluated before each mission and particularly before a decision to perm t greater exposure than 200r total in these divided doses is made.

The possibility should not be ignored that cumulative radiation doses to the antire body above 200r may ' substantially reduce the life expectancy of the irradiated individual.

Question 4. A submarine crew are receiving 25r per mission. How many missions should they be allowed to make?



- h -

Answer of the Committee - The answer is substantially the same as to Question 3. It is probable that at least eight missions can be carried out. Personnel cupit to be carefully checked and evaluated after each mission. The possibility of substantial reduction in life expectancy by radiation doses totaling ever 20grahould not be ignored.

- 5 -

Biology Branch (Marcon crar)

Human Genetics - At the November meeting of the Biology and Medicine Advisory Committee the question of supporting work in human genetics was discussed. In compliance with the general tenor of the discussion, a proposal for investigation of certain human mutation rates was invited from Dr. Janes V. Neel of the University of Michigan who had discussed this problem on several previous occasions with Dr. Selle. Dr. Meel's proposal will be discussed at the January meeting of the Advisory Committee and will be the first research contract in human genetics if it is approved. This work will not deal with the effect of irradiation but only with naturally occuring mutations in man.

Longevity Studies - Some of the mice surviving operation Greenhouse are to be returned to the United States for observations over the rest of their life span. This work will be done in the Biology Division at ONML. The Biology Branch was represented by Dr. Zelle at the December 18th Conference at Oak Ridge to discuss specific plans for the saterast, tumor incidence, and longevity studies of these mice. The overall size of the study was reduced, a better statistical design developed especially for the control mice, and a convenient system of recording data on the IBM card outlined at the conference. Personnel requirements, financing, and other problems pertaining to the program were discussed.

The studies on the longevity of the side from Greenhouse comprise only ene part of a program on the effects of radiation on longevity. Other studies using external sources of radiation will be initiated with dogs and other species. Animals will be exposed to single m-ray treatments at various desage levels, and also to intermittent exposures.

Irradiation Effects on Plants - Hesearch at the U. S. Department of Agriculture at Beltsville on an AEC project has dealt extensively with the effect of radioactive isotopes on plant growth. In measuring the immediate effect of irradiation on plants it has been possible to measure a decrease in root length, in top growth, and the size of new leaves. These methods are only qualitative and with them little visible injury to plants is noticeable in such plants as barley and alfalfs when the plants are grown in nutrient solutions containing less than 50 microcuries of P³² per liter:

It has recently been observed that call division caases in the meristanatic region such as the root tip or stem tip when subjected to a constant relatively

		مراجعة المعاد المراجعة			<u>1056565-1</u>
OFFICE ►					
SURNAME ►	 				······
DATE ►	 		1		
				DOT AF	CHIVES

high level of irradiation. The cells of the growing points enlarge; the cytoplasm in the cells become less dense; the cell walls thicken. In short, the region takes on a somewhat abnormally mature appearance. The other growing regions of stems and roots are similarly affected by radiation. However, the cell's spical meristems appear to be damaged when the plants are grown in solutions whose specific activity level was low enough to afford normal development of the rest of the plant. By measuring the size of the peripheral spical meristematic cells under a miscroscope it has been possible to observe effects or irradiation from 50 microcuries of P^{32} per liter of nutrient solution down to less than 2 microcuries. This is a range of activity over which there is no apparent change in the size of the plant.

These results indicated that this method will serve as a quantitative measurement of the effect of irradiation on plants at relatively low activities. It has thus been possible to show that even at the lower radiation levels there is an effect on plant growth.

Civil Defense Liaison Branch

Civil Defense Legislation - A member of the Branch attended the hearings held by the Sub-committee of the Senate Armed Services Committee on proposed eivil defense legislation. On December 8 at the request of this sub-committee the Director of the Division of Sielegy and Medicine testified on the pending bill. His statement has been direglated for the information of the Commission as AEC 171/15 dated December 18, 1950.

Subject to a request to the Chairean, AEC, by Representative Whittington, Chairman of the House Public Works Committee, the Director of Biology and Medicine and the Acting Chief, Civil Defense Lisison Branch, met with Mr. Whittington and Representative Dondaro to discuss effects of stomic weapons relative to pending legislation for dispersal of Federal agencies.

Shelters for MEC Facilities (Caloial Use Only)

Hajor AEC installations have been requested through the operating program divisions to furnish "flash" estimates of the cests involved in providing adequate shelters for their populations, assuming enemy air attacks with atomic as well as other types of weapons, and warning systems capable of transmitting signals of such attacks to the populations involved.

To assist in formulation of these estimates tentative design criteria for communal type shelters and rough sketches of suggested family type shelters were furnished as guides.

Design Criteria for Savannah River Plant

The Acting Chief, Civil Defense Liaison Branch, spent a major portion of his time during the month working with representatives of the Division of Production, the Department of Defense and the Dupont Company in determining design criteria for the new Savannah River Plant.

		······································		10
OFFICE ►				
SURNAME 🕨	 No.			
DATE 🕨			*	
•		2 · · · · · · · · ·	DOT AR	CHIVES



Review of Public Shelter Plans - The Commission has informed the NSRB that it will examine for safety factors, if subject to atomic bomb attack, the plans for the Boston Common underground garage and plans for one other dual-purpose structure as requested by the RFC and the NSRB.

Review of White House Plans ()

Plans for construction proposed for the East Terrace of the White House have been reviewed by the Acting Chief, Civil Berense Lisison Branch at the request of the Architect of the White House.

Federal Civil Defense Administration-MSRB Briefing Session

Arrangements were made by the Branch for a briefing session by FCDA and MSRB personnel with AEC staff members to discuss civil defense activities related to the three AEC communities. At the meeting the process of designation of so-called critical target areas throughout the country was explained and the factors determining such designation were outlined. State maps showing c itical areas for the States containing the AEC communities and States adjacent thereto were provided and have been transmitted to the communities.

Information Furnished FODA and NEFB

The Acting Deputy Administrator, YCHA and the Director, Health Resources Office, NSEB have been furnished a statement of levels of radioactive contamination in water and food permittable under amergency conditions. This statement was prepared for use of the AEC emergency radiation monitoring teams in event of atomic disaster and was furnished these agencies for use in their national civil defense program.

Review of FCDA Documents

The "Health Services and Special Reapons Defense" Manual was further reviewed for technical accuracy in galley-proof and page-proof form by members of the Division prior to its public release on December 27, 1950.

Redistion Instruments Granch

(d

The FCDA issued Specifications for Civil Defense Radiological Monitoring Instruments on December Ó, 1950, as the result of initial broad specifications prepared by the Radiation Instruments Branch. Although there are several points in the issued specifications with which ASC persons are not in complete agreement, the specifications will be useful to radiation instruments manufacturers in giving them firm operational characteristics to which they can design instruments. It is proposed that resulting prototype instruments will be evaluated by the National Bureau of Standards.

Arrangements were made to loan the State of Illineis a number of instruments for training Civil Defense Radiological Monitors.



Procurement and Industrial Development Activities

ALC Sponsored Research and Development

Twenty of the civil defense radiation monitors manufactured by the Victoreen Instrument Company under ANC contract were received during December. These instruments are of the ionization chamber type employing the DuBridge-Brown electrometer circuit. The upper range of these instruments is 25 reentgens per hour. No determination has been made of the spectral and performance characteristics of these instruments.

- 8 -

Inspection and Testing

During the month of December, one hundred and eighty radiation detection instruments, accessories and corponents were received and tested. Seventyfive heutron dosimeters produced by the Cambridge Instrument Company were rejected because of manufacturing defects. Since these dosimeters were procured under a production development contract supervised by the NIO Instruments Branch, they will be returned to their laboratory for further inspection and return to the manufacturer.

Technical Coordination Activities

RA-GET

In order to promote among the MC instruments group a more personal interest in the overall instrument program, a series of biographical sketches on the leading instrument personnel is to be a regular feature in RA-DET. The academic and experience background of the individuals will be briefly outlined, while the significant contributions to radiation instrumentation will be high lighted.

In view of the wide interset on the progress of our Special Electron Tube Development Program, the monthly progress reports submitted by ECA will be published in RA-DIT. RCA has been contacted and not only has no objections to the idea, but is decidedly in favor of it.

Military Activities in Radiation Instrumentation

Progress reports concerning the many military administered contracts involving research in radiation detection have not received sufficient distribution within the AEC. Since it would be difficult to obtain the number of copies to make a complete distribution, the Branch is planning to abstract and disseminate this information directly. Initially, a Compendium will be distributed listing the activities and progress to date. Supplementary "nows letters" will be sent out monthly.

Civil Defense Radiological Monitoring

A member of the Branch accompanied Mr. H.D. LeVine of the NYOO on a visit to the Meston Instrument Company to investigate the technical characteristics

	 				16-56565-1	GPO
OFFICE ►	¥	-				
SURNAME 🕨			an a			
DATE 🕨	 			14		
			•	DOT AR	HIVES	



and commercial availability of 270 degree meter movements for possible use in the HYGO developed Geiger integrator civil defense instrument. Weston advised that satisfactory 270 degree meters could be provided but did not recommend their use unless absolutely required, in view of their added complexity and increased cost.

The Haval Sadiological Defense Laboratory has reported promising developments in a multiple electrode ion chamber survey meter for civildsfense. It has been agreed that the contract with WRDL will be extended through speriod of 90 days to allow completion of this development. Of the \$55,000 originally transferred to EVEL to cover this work, only about \$13,000 has been spent to date.

US DOE ARCHIVES 326 U.S. ATOMIC ENERGY COMMISSION
RG DOE HISTORIAN (OBM)
Collection <u>//32</u>
Box <u>3363</u>
Folder #20



		0000-1 0FU
OFFICE ►		
SURNAME 🕨		
DATE 🕨		
	DOT ARCHIV	ES