402872

me 1971

mis

Brief Summary of Medical Findings in the Marshallose Accidentally Exposed to Radioactive Fallout in 1954

The accidental exposure occurred on March 1, 1954 following detonation of a thermonuclear devise on Bikini in the Pacific Proving Grounds. A shift in wind resulted in fallout on the following inhabited islands:

Distance from Bikini	No. of People	<u>Estimated</u> Gamma dose	
. 105 miles	64	175 rads	
110 "	18	69 "	
135 "	28*	70 "	
275 "	158	14 "	
	<u>Distance from Bikini</u> . 105 miles 110 " 135 " 275 "	Distance from Bikini No. of People 105 miles 64 110 18 135 28* 275 158	

American Service men

There were no deaths but certain acute effects were noted, particularly in the Rongelap people. Transfient depression of blood cells was followed by recovery to near normal levels by one year. Fallout deposited on the body resulted in skin burns and spotty loss of hair in the Rongelap, Ailingnae and Rongerik groups. The burns healed and the hair regrew without complications in several months. Urine analyses revealed that internal absorption of radioactive material had occurred from inhalation and ingestion of contaminated food and water but no acute effects were observed from this source (as will be seen below late effects did occur).

Follow-up examinations during the first decade showed few findings that could be related to radiation exposure. Possibly related was the occurrence of about twice the number of miscarriages and stillbirths in the exposed compared with unexposed Rongelap women. This difference was not seen after 5 years. During the second decade some Rongelap children showed growth retardation which was later realized to be associated with a hypothyroid condition due to radiation injury to the thyroid gland largely from radioactive iodine absorbed at the time of the fallout. The thyroid dose was estimated to be 335 rads for Rongelap adults and 700-1400 rads for children, the higher dose in children being due to the smaller size of their thyroid glands.

In 1963 tumors of the thyroid began to appear in Rongelap children and to a lesser extent in adults. At the present time 29 of the original population of 86 Rongelap and Ailingnae (about 1/3) have developed abnormalities of the thyroid gland including 18 of 22 persons who were less than 10 years of age in 1954.

	Age at		<u>Thyroid</u> Abnormalities		
Group	Exposure	<u>No</u> .	(% of age group)	Surgery	Cancer
Rongelap	< 10	22*	18 (82%)	16	1
	> 10	45	-5 (11%)	4	2
Ailingnae	< 10	7**	~ 2 (29%)-	1	0
	> 10	12	~4 (36%)	3	0
Combined	< 10	29	20 (70%) <	17	1
	> 10	57	9 (16%)	7	2

^{*} 3 of these were exposed in utero, one of whom had non-malignant thyroid tumors removed.

1 of these was exposed in utero.

Of the 29 that have developed abnormalities of the thyroid glands 24 (including 16 of the 18 children) have had thyroid surgery in the United States with three of the tumors proving to be cancer. No recurrence of tumors has been noted following surgery. A low incidence of thyroid tumors has also been noted in the unexposed Rongelap control and in the low exposure Utirik groups.

The exposed Rongelap people have been treated with thyroid hormone for the past 10 years and this treatment has successfully maintained normal thyroid

- 2 -

status in the effected people and enhanced growth and development in children who had showed growth retardation.

In 1972 a 19 year old Rongelap man who had been exposed at one year of age died of acute leukemia. He had extensive treatment at the Clinical Center of the National Institutes of Health. The illness may have been induced by radiation.

The annual medical examinations of the exposed Marshallese people continue with a team of highly qualified medical specialists. In addition we now have a resident physician stationed in the Marshall Islands who makes at least quarterly visits for health care to the exposed people on the outer islands.

- 3 -

part I my prouber (Ital Det BROOKHAVEN NATIONAL LABORATORY Jeres 2 1975 and portey mus and poster the Amount angot time . the is putting this out to due depositions in locific and dead may 15, 1975. The changes in Casperster on the Dept Copy & medde A Thei Recommend of medical find J. Thilson there is a runned Memo to . - mary from.... Form 112B

- and Septer JUL 2-'75 NONPROFIT ORC

h. James I. In wernen and allmin stratic for Euronant and Abl Erergy Ravers and Darkgenest ligenerg 2 sorgy Ravers and Darkgenest ligenerg

ry.

ASSOCIATED UNIVERSITIES, INC. UPTON, LONG ISLAND, NEW YORK 11973 BROOKHAVEN NATIONAL LABORATORY